ANALYTICA CHIMICA ACTA, VOL. 280 (1993)

# AUTHOR INDEX


Aizawa, M., see Begum, A. 31
Aleixo, L.M., see Matsukura, R. 49

Baillet, A., see Chaminade, P. 93
Bakker, E., see Rosatzin, T. 197
Becher, G., see Kristiansen, N.K. 111
Begum, A.
—, Kobatake, E., Suzawa, T., Ikariyama, Y. and Aizawa, M.
New electrocatalytic biomolecular interface for fabricating a fructose dehydrogenase-based sensing system 31
Bhagavathy, V.
—, Prasada Rao, T. and Damodaran, A.D.
Flotation–spectrophotometric determination of praseodymium with 5,7-dichloroquinolin-8-ol and Rhodamine 6G 169
Bier, F.F., see Jockers, R. 53
Bissonnette, M.C., see Yaylayan, V. 245
Bosch, E., see Ràfols, C. 75
Bourguignon, B., see Chaminade, P. 93
Byers, C.D., see Koenig, A.R. 289

Cabaniss, S.E., see Pike, P.R. 253
Calvo, N.
—, Montes, R. and Laserna, J.J.
Surface-enhanced Raman spectrometry of amiloride on colloidal silver 263
Cardwell, T.J.
—, Colton, R., Lambropoulos, N., Traeger, J.C. and Marriott, P.J.
Electrospray mass spectrometry of zinc dithiophosphate derivatives and its application to the analysis of engine oil antiwear additives 239
Chaminade, P.
—, Baillet, A., Ferrier, D., Bourguignon, B. and Massart, D.L.
Efficient determination of the $pK_a$ values of six chlorinated phenols by reversed-phase liquid chromatography 93
Christensen, V.R., see Koenig, A.R. 289
Cirovic, M., see Elrod, Jr., L. 85
Colton, R., see Cardwell, T.J. 239
Cooper, J., see Smolander, M. 119

Damodaran, A.D., see Bhagavathy, V. 169
Dams, R., see Goossens, J. 137
De la Guardia, M., see Khalaf, K.D. 231
De Oliveira Neto, G., see Matsukura, R. 49

Egorov, A.M., see Kim, B.B. 191
Elrod, Jr., L.
—, Spanton, S.G., Cirovic, M., Shaffer, D.I., Golich, T.G., Linton, C.L., Vievia, D.R., Kalaritis, P. and Schmand, H.
Determination of 2-chloro-4,5-difluorobenzoic acid and related impurities by liquid chromatography 85

Ferrier, D., see Chaminade, P. 93
Frøshaug, M., see Kristiansen, N.K. 111

Gaikwad, A.
—, Gómez-Hens, A. and Pérez-Bendito, D.
Use of stopped-flow fluorescence polarization immunoassay in drug determinations 129
Godinho, O.E.S., see Matsukura, R. 49
Golich, T.G., see Elrod, Jr., L. 85
Gómez-Hens, A., see Gaikwad, A. 129
Gómez-Hens, A., see Panadero, S. 163
Goossens, J.
—, Vanhaecke, F., Moens, L. and Dams, R.
Elimination of interferences in the determination of arsenic and selenium in biological samples by inductively coupled plasma mass spectrometry 137
Gordon, J.F., see Koenig, A.R. 289
Grätzel, M., see König, B. 37

Hamilton, R.D., see Koenig, A.R. 289
Hämmerle, M., see Smolander, M. 119
Ho, S.-Y., see Lau, O.-W. 269
Huyghues-Despointes, A., see Yaylayan, V. 245
Hwang, H., see Pyo, D. 103

Ikariyama, Y., see Begum, A. 31

Janssen, A.P.M., see Van Stroe-Biezen, S.A.M. 217
Janssen, L.J.J., see Van Stroe-Biezen, S.A.M. 217
Jin, W.
—, Xiao, L. and Wu, Y.
Investigations on adsorption potentiometry. Part IX. Determination of ultratrace boron by derivative adsorption chronopotentiometry 69
Jockers, R.
—, Bier, F.F. and Schmid, R.D.
Specific binding of photosynthetic reaction centres to herbicide-modified grating couplers 53
Jurs, P.C., see Ranc, M.L. 145

Kai, M., see Kojima, E. 157
Kalaritis, P., see Elrod, Jr., L. 85

Karube, I., see Sekine, Y. 179
Káš, J., see Vrbová, E. 43
Khalaf, K.D.
—, Morales-Rubio, A. and De la Guardia, M.
Simple and rapid flow-injection spectrophotometric determination of carbaryl after liquid–liquid extraction 231
Kim, B.B.
—, Vlasov, E.V., Miethe, P. and Egorov, A.M.
Immunoaffinity chromatographic method for the detection of pesticides 191
Kobatake, E., see Begum, A. 31
Koenig, A.R.
—, Hamilton, R.D., Laskowski, T.E., Olson, J.R., Gordon, J.F., Christensen, V.R. and Byers, C.D.
Fiber diameter measurement of bulk man-made vitreous fiber 289
Kojima, E.
—, Ohba, Y., Kai, M. and Ohkura, Y.
Phenylglyoxal and glyoxal as fluorogenic reagents selective for *N*-terminal tryptophan-containing peptides 157
König, B.
— and Grätzel, M.
Long-term stability and improved reusability of a piezoelectric immunosensor for human erythrocytes 37
Kostov, Y.
—, Tzonkov, S., Yotova, L. and Krysteva, M.
Membranes for optical pH sensors 15
Kristiansen, N.K.
—, Lundanes, E., Frøshaug, M. and Becher, G.
Evaluation of the open-loop stripping technique used for the determination of volatile organic compounds in water 111
Kroupová, I., see Vrbová, E. 43
Krysteva, M., see Kostov, Y. 15

Lambropoulos, N., see Cardwell, T.J. 239
Laserna, J.J., see Calvo, N. 263
Laskowski, T.E., see Koenig, A.R. 289
Lau, O.-W.
— and Ho, S.-Y.
Simultaneous determination of traces of iron, cobalt, nickel, copper, mercury and lead in water by energy-dispersive x-ray fluorescence spectrometry after preconcentration as their piperazino-1,4-bis(dithiocarbamate) complexes 269
Li, K., see Zeng, W. 173
Li, Z.-Y., see Shen, D.-Z. 209
Linton, C.L., see Elrod, Jr., L. 85
Liu, A.
— and Wang, E.
Amperometric detection of amino acids in a flow-injection system with a nickel(II)-modified electrode with an Eastman-AQ polymer film 223
Lu, J., see Wang, J. 61
Lundanes, E., see Kristiansen, N.K. 111

Marriott, P.J., see Cardwell, T.J. 239
Massart, D.L., see Chaminade, P. 93
Matsukura, R.
—, Aleixo, L.M., Godinho, O.E.S. and De Oliveira Neto, G.
Determination of glucose in instant coffee with an enzyme electrode 49
Meadows, D.L.
— and Schultz, J.S.
Design, manufacture and characterization of an optical fiber glucose affinity sensor based on an homogeneous fluorescence energy transfer assay system 21
Miethe, P., see Kim, B.B. 191
Moens, L., see Goossens, J. 137
Mohr, K.-H., see Preuschoff, F. 185
Montes, R., see Calvo, N. 263
Morales-Rubio, A., see Khalaf, K.D. 231
Mottola, H.A.
Kinetic determinations of reactants utilizing uncatalyzed reactions 279

Nie, L.-H., see Shen, D.-Z. 209
Novotná, Z., see Vrbová, E. 43

Ohba, Y., see Kojima, E. 157
Ohkura, Y., see Kojima, E. 157
Olson, J.R., see Koenig, A.R. 289

Panadero, S.
—, Gómez-Hens, A. and Pérez-Bendito, D.
Stopped-flow determination of diphacinone based on lanthanide-sensitized luminescence 163
Paré, J.R.J., see Yaylayan, V. 245
Pérez-Bendito, D., see Gaikwad, A. 129
Pérez-Bendito, D., see Panadero, S. 163
Pike, P.R.
—, Sworan, P.A. and Cabaniss, S.E.
Quantitative aqueous attenuated total reflectance Fourier transform infrared spectroscopy. Part II. Integrated molar absorptivities of alkyl carboxylates 253
Prasada Rao, T., see Bhagavathy, V. 169
Preuschoff, F.
—, Spohn, U., Weber, E., Unverhau, K. and Mohr, K.-H.
Chemiluminometric L-lysine determination with immobilized lysine oxidase by flow-injection analysis 185
Pyo, D.
— and Hwang, H.
Monitoring the mobile phase composition in supercritical fluid chromatography 103

Ràfols, C.
—, Rosés, M. and Bosch, E.
Standardization of potentiometric cells in propan-2-ol–water 75
Ranc, M.L.
— and Jurs, P.C.
Simulation of $^{13}C$ nuclear magnetic resonance spectra of indoles 145
Rao, K.A., see Sagi, S.R. 299
Rao, M.S.P., see Sagi, S.R. 299

Rosatzin, T.
—, Bakker, E., Suzuki, K. and Simon, W.
Lipophilic and immobilized anionic additives in solvent polymeric membranes of cation-selective chemical sensors 197
Rosés, M., see Ràfols, C. 75

Sagi, S.R.
—, Rao, K.A. and Rao, M.S.P.
Mechanistic interpretation of photochemical thallimetric oxidations catalysed by chloride and bromide ions 299
Schmand, H., see Elrod, Jr., L. 85
Schmid, R.D., see Jockers, R. 53
Schmidt, H.-L., see Smolander, M. 119
Schuhmann, W., see Smolander, M. 119
Schultz, J.S., see Meadows, D.L. 21
Sekine, Y.
—, Suzuki, M., Takeuchi, T., Tamiya, E. and Karube, I.
Selective flow-injection determination of methanol in the presence of ethanol based on a multi-enzyme system with chemiluminescence detection 179
Shaffer, D.I., see Elrod, Jr., L. 85
Shen, D.-Z.
—, Li, Z.-Y., Nie, L.-H. and Yao, S.-Z.
Behaviour of series piezoelectric sensor in electrolyte solution. Part II. Applications in titrimetry 209
Simon, W., see Rosatzin, T. 197
Smolander, M.
—, Cooper, J., Schuhmann, W., Hämmerle, M. and Schmidt, H.-L.
Determination of xylose and glucose in a flow-injection system with PQQ-dependent aldose dehydrogenase 119
Spanton, S.G., see Elrod, Jr., L. 85
Spohn, U., see Preuschoff, F. 185
Suzawa, T., see Begum, A. 31
Suzuki, K., see Rosatzin, T. 197
Suzuki, M., see Sekine, Y. 179
Sworan, P.A., see Pike, P.R. 253

Takeuchi, T., see Sekine, Y. 179
Tamiya, E., see Sekine, Y. 179
Thévenot, C., see Vrbová, E. 43
Tong, S., see Zeng, W. 173
Traeger, J.C., see Cardwell, T.J. 239
Tu, M., see Zeng, W. 173
Tzonkov, S., see Kostov, Y. 15

Unverhau, K., see Preuschoff, F. 185

Valentová, O., see Vrbová, E. 43
Vanhaecke, F., see Goossens, J. 137
Van Stroe-Biezen, S.A.M.
—, Janssen, A.P.M. and Janssen, L.J.J.
Solubility of oxygen in glucose solutions 217
Vievia, D.R., see Elrod, Jr., L. 85
Vlasov, E.V., see Kim, B.B. 191
Vrbová, E.
—, Kroupová, I., Valentová, O., Novotná, Z., Káš, J. and Thévenot, C.
Determination of phospholipase D activity with a choline biosensor 43

Wang, E., see Liu, A. 223
Wang, J.
—, Lu, J. and Yarnitzky, C.
Highly sensitive and selective measurements of lead by stripping voltammetry/potentiometry following adsorptive accumulation of the lead–*o*-cresolphthalexon complex 61
Weber, E., see Preuschoff, F. 185
Wu, Y., see Jin, W. 69

Xiao, L., see Jin, W. 69

Yao, S.-Z., see Shen, D.-Z. 209
Yarnitzky, C., see Wang, J. 61
Yaylayan, V.
—, Huyghues-Despointes, A., Bissonnette, M.C. and Paré, J.R.J.
Electron impact mass spectral fragmentation patterns of 1-[(2′-carboxyl)pyrrolidinyl]-1-deoxy-D-fructose 245
Yotova, L., see Kostov, Y. 15

Zellers, E.T.
— and Zhang, G.-Z.
Influence of substituent and ligand electronic factors on the measurement of gas phase olefins using a surface acoustic wave oscillator coated with *trans*-$PtCl_2$(olefin)(amine) complexes 1
Zeng, W.
—, Tu, M., Li, K. and Tong, S.
Information extraction on efficient purification of organic reagents by using the branch and bound algorithm 173
Zhang, G.-Z., see Zellers, E.T. 1